



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO24587**

Purchase Order Date 6/13/2014

PO Print Date 6/13/2014

Page Number 1 of 2

**Order From :**

AVIALL  
PO BOX 842275

DALLAS, TX 75284-2275  
USA

VU-AVI003

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAKED**

**Contact Name**

**Vendor Phone** 905-676-1695

**Ship To Contact**

**Ship To Phone**

**Ship Via:** FedEx PI collect

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #**

10127-2607

**Terms**

Net 30

**Currency**

USD

**FOB**

FCA - (Free Carrier)

*1129520*

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	AN525-416R10 <i>55330</i>	Screw	6/17/2014 Yes 6/17/2014		50.00 Each	\$0.53	\$26.50
<b>Line Total:</b>							<b>\$26.50</b>
2	CB200	Acrylic Adhesive, 3.5G	6/17/2014 Yes 6/17/2014		30.00 Each	\$2.72	\$81.60
<b>Line Total:</b>							<b>\$81.60</b>
4	BSP-42	Rivet	6/17/2014 Yes 6/17/2014		200.00 Each	\$0.23	\$46.00

**PO Instructions:**

**Note:**

6/13/2014



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO24587**

Purchase Order Date 6/13/2014

PO Print Date 6/13/2014

Page Number 2 of 2

**Order From :**

AVIALL  
PO BOX 842275

DALLAS, TX 75284-2275  
USA

VU-AVI003

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone** 905-676-1695

**Ship To Contact**

**Ship To Phone**

**Ship Via:** FedEx PI collect

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #**

10127-2607

**Terms**

Net 30

**Currency**

USD

**FOB**

FCA - (Free Carrier)

**Line Total:** \$46.00

5	71401-45	PROCUREMENT QUALITY CLAUSES	6/17/2014	1.00	\$0.00	\$0.00
---	----------	--------------------------------	-----------	------	--------	--------

No

6/17/2014

**Procurement Quality Clauses**

A005 RIGHT OF ENTRY

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A013 SHELF LIFE CONTROLLED MATERIAL; 80% SHELF  
LIFE REQUIRED AT RECEIPT

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS

FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

**Line Total:** \$0.00

**PO Total:** \$154.10

**PO Instructions:**

**Note:** Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

**Change Nbr:** 2

**Change Date:** 6/13/2014



# B/E Aerospace, Inc.

## CONSUMABLES MANAGEMENT

Tel: +1 305.925.2600 • Fax: +1 305.507.7191 • [www.beconsumables.com](http://www.beconsumables.com)  
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001  
Wire Instructions: B/E Aerospace Consumables Management • JPMorgan Chase Bank New York  
ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002


SO:8WW2W3

INVOICE NUMBER


HSMR3T

PAGE 1

ITEM AN525-416R10=28



BATCH 7363665243







APHONGSAVAN

03/26/14

SHIP TO:

AVIALL SERVICES  
2750 REGENT BLVD  
DFW AIRPORT, TX 75261-9048

ORDER NO.		DATE	SHIP VIA	TERMS	SHIPPING TERMS			
2288348		03/24/14	FEDX EXPR SAVER COLL	NET 45	FOB-MIAMI			
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
1	1000	AN525-416R10 SCREW ECCN : 9A991 MFR: PILGRIM SCREW (AZ) CTRL# : 2013I07037 LOT# : R34000 LOT QTY: 1000 Country of Origin: USA **REF: PKG 25 EA PER PKG  FREIGHT ACCT# 075268572    TEL# 972-586-1426  kze 8WW2W3 SHIPPED ON: 03/24/14 INVOICE# ..... HSMR3T    ORDER# ..... 8WW2W3    CONSOLIDATE# ..... 1AN19E  			EA	0	1000	
MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY B/E AEROSPACE								

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY B/E AEROSPACE

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: 10000 NW 15 TERRACE, MIAMI, FL 33172

**MATERIAL CERTIFICATION:** B/E AEROSPACE, INC. ("B/E AEROSPACE") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. B/E AEROSPACE DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF B/E AEROSPACE IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT OF ANY ITEM WHICH IS REJECTED BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL CONSTITUTE SATISFACTION OF ALL LIABILITY B/E AEROSPACE MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL B/E AEROSPACE BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, B/E AEROSPACE MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.



### PACKING SLIP

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:  
[www.beconsumables.com/cm/docs/BE\\_CM\\_Conditions\\_of\\_Sale.pdf](http://www.beconsumables.com/cm/docs/BE_CM_Conditions_of_Sale.pdf)

AVIALL - TRUE CERTIFIED COPY - 06/16/2014 - SANGKHAM - 7363665243

## Chantal Lavoie

---

**From:** Laura McClelland <lmcclelland@aviall.com> on behalf of Toronto Inbound Queue <toronto@aviall.com>  
**Sent:** Friday, June 13, 2014 11:40 AM  
**To:** Chantal Lavoie  
**Subject:** Re: QUOTE - DART AEROSPACE

Hi Chantal - I only recognize one number

See below

I can send out for pricing - let me know if you need me to pursue

Aviall Toronto  
7425 Tranmere Drive, Unit 2  
Mississauga, Ontario  
L5S 1L4  
Ph. 905-676-1695  
Fax 905-676-9046  
Email: [toronto@aviall.com](mailto:toronto@aviall.com)

Subject to prior sales.  
Subject to MFG price changes.

Any Aviall quote, acknowledgement or acceptance of your purchase order is made subject to Aviall's Terms and Conditions of Sale. You agree that Aviall's Terms and Conditions of Sale replace and supersede your proposed terms and conditions for all purposes and your acceptance of such terms is evidenced by you continuing to go forward with this order after receipt of this stamped notice. Go to [www.aviall.com](http://www.aviall.com) and click on Terms & Conditions for a copy of such terms.

From:	Chantal Lavoie <clavoie@dartaero.com>
To:	"Toronto Inbound Queue (toronto@aviall.com)" <toronto@aviall.com>.
Date:	06/13/2014 09:00 AM
Subject:	QUOTE - DART AEROSPACE

---

Hi Laura,  
Please advise price and delivery on items.

AN45-13A X 15  
AN45-15A X 10  
AN4C46A X 100  
AN5C34A X 20  
AN6C44A X 50  
AN8C16 X 20  
BSP-42 X 50  
CS62-1032-8CR X 25

can quote BSPS-04-02, 200 min @ 0.23 each

Thanks  
Chantal

## Receiving Report

Date: 14/4/18

Batch No: 1123520

Supplier: AVIALL

Dart P/O: 24587

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒  
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☐ No ☒ N/A ☐  
 Shipment Complete: Yes ☐ No ☒ N/A ☐  
 QC18 Inspection ☐ N/A ☒  
 Work Order ☐ N/A ☒

**Discrepancies**

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number
B6P-42		200	1	200			

Initials of Receiver

QC12

Production/Admin:

Date \_\_\_\_\_  
 Received/Costing \_\_\_\_\_  
 Initial \_\_\_\_\_

Location \_\_\_\_\_

## Chantal Lavoie

---

**From:** Laura McClelland <lmcclelland@aviall.com> on behalf of Toronto Inbound Queue <toronto@aviall.com>  
**Sent:** Wednesday, June 11, 2014 3:45 PM  
**To:** Chantal Lavoie  
**Cc:** 'Toronto Inbound Queue (toronto@aviall.com)'  
**Subject:** Re: quote - dart

Hey Chantal - see below

Aviall Toronto  
7425 Tranmere Drive, Unit 2  
Mississauga, Ontario  
L5S 1L4  
Ph. 905-676-1695  
Fax 905-676-9046  
Email: [toronto@aviall.com](mailto:toronto@aviall.com)

Subject to prior sales.  
Subject to MFG price changes.

Any Aviall quote, acknowledgement or acceptance of your purchase order is made subject to Aviall's Terms and Conditions of Sale. You agree that Aviall's Terms and Conditions of Sale replace and supersede your proposed terms and conditions for all purposes and your acceptance of such terms is evidenced by you continuing to go forward with this order after receipt of this stamped notice. Go to [www.aviall.com](http://www.aviall.com) and click on Terms & Conditions for a copy of such terms.

From:	Chantal Lavoie <clavoie@dartaero.com>
To:	"Toronto Inbound Queue (toronto@aviall.com)" <toronto@aviall.com>
Date:	06/11/2014 03:15 PM
Subject:	quote

Hi Laura,  
Please advise price and delivery on item.

AN525-416R10 X 50

0.53 each

MS20392-1R27 X 100

27.88 each

CB200 X 30

2.72 each

additional stock in Dallas

600 Dallas  
stock factory - allow 1 weeks  
31 stock in Montreal or

Thanks  
Chantal

## Chantal Lavoie

---

**From:** Melanie Fauteux  
**Sent:** Wednesday, June 11, 2014 3:11 PM  
**To:** Chantal Lavoie

Hi,

Can you please order more of :

AN525-416R10 x 50

MS20392-1R27 x 100

Cb200 x 30

I will be issuing about 30 more kits to be sent out.

Thank you

Melanie



# B/E Aerospace, Inc.

Page: 1 of 1

## CONSUMABLES MANAGEMENT

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191  
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR  
www.beconsumables.com

Shipped From: 10000 NW 15 TERRACE, MIAMI, FL 33172

### Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to B/E Aerospace, Inc.

**FIRM: AVIALL INC**

**PURCHASE ORDER#: 2288348**

LINE#	QUANTITY	U/M	PART-NUMBER	CUST REFS	LOT-NUMBER	MANUFACTURER	CCODE	MFR DATE	EXP DATE
1	3,000	EA	AN525-416R10	PKG 25 EA PER PKG	R34000	PILGRIM SCREW (AE)	1GP79		

  
Jason Lewis  
Vice President of Quality

03/24/14

Inv # 03/24/14



# PILGRIM

Screw Corporation

## PACKING LIST

ARIZONA - 480-917-2500

SHIPPED FROM  
259 DEXTER STREET and 120 SPRAGUE STREET  
PROVIDENCE, RI 02907

RHODE ISLAND - 401-274-4090

8/30/2013



PAC136581

BE  
BILL TO: B/E AEROSPACE  
CONSUMABLES MANAGEMENT  
MIAMI FL 33102-5263  
P.O. BOX 025263

SHIP TO: B/E AEROSPACE  
CONSUMABLES MANAGEMENT  
9835 NW 14TH STREET  
MIAMI, FL 33172

OUR ORDER #  
ORD112420

TERMS  
Net 30\*DNI\*033101490

FREIGHT SHIP VIA  
C FedEx Ground

SHIPPING DATE  
8/30/2013

CUSTOMER PO #:



OLXY82

QTY

U/M

PART #

DRAWING #



23,019

EA



AN525-416R10

NASM525

Revision: 2

1/4-28 X 5/8 PH RD WSHR 4037/Cd2

NOT BEFORE

R3400LXY82

LOT#:

R34000 QTY: 23,019.00

pc#278

6 CTNS, TOTAL WT. 246.60 LBS WITH 181 ON BACKORDER

Compliant with DFARS 252-225-7009 Restriction on Acquisition of Certain

Articles Containing Specialty Metals

MFR C OF C

CHEM AND PHYS

MATERIAL AND PROCESS CERTS

DFARS COMPLIANT 252. 225-7009

CLAUSES A, A.1, A.3, B, C, E, H, P, U, V APPLY

PILGRIM LATEST REV:2 PLEASE NOTIFY OF ANY NEWER REV

REQUESTS

SHIPPING INSTRUCTIONS:

### CERTIFICATE OF COMPLIANCE

We hereby certify that all items delivered on this invoice comply with all applicable drawing, specification, and purchase order requirements. Evidence of such is on file for review for a minimum of 10 years. All products manufactured by Pilgrim Screw are of domestic origin and have not come in contact with mercury while in our possession. Also all special processes were performed by approved sources at the time of manufacture. Shortage claims must be made within (5) days after receipt of the goods. Quality claims must be made within (30) days after receipt of the goods. Returns will not be accepted without a 'Return Material Authorization' number. All goods returned must have the freight prepaid.

MADE IN THE USA

Page # 1

Authorized Rep.

# PILGRIM

Screw Corporation

## PACKING LIST

ARIZONA - 480-917-2500

SHIPPED FROM  
259 DEXTER STREET and 120 SPRAGUE STREET  
PROVIDENCE, RI 02907

RHODE ISLAND - 401-274-4090

8/30/2013



PAC136581

BILL TO: BE  
B/E AEROSPACE  
CONSUMABLES MANAGEMENT  
MIAMI FL 33102-5263  
P.O. BOX 025263

SHIP TO: B/E AEROSPACE  
CONSUMABLES MANAGEMENT  
9835 NW 14TH STREET  
MIAMI, FL 33172

OUR ORDER #  
ORD112420

TERMS  
Net 30\*DN1\*033101490

FREIGHT SHIP VIA  
C FedEx Ground

SHIPPING DATE  
8/30/2013

CUSTOMER PO #:



OLXY82

QTY

U/M

PART #

DRAWING #

\*\*NO OVERSHIPMENTS\*\*

IF UNDER 150 LBS SHIP FEDEX GROUND ACCT# 0331-0149-0 MARK:  
COLLECT

IF OVER 150 LBS, SHIP FEDEX FREIGHT ECONOMY ACCT 018757

\*\*\*DO NOT INSURE OR DECLARE A VALUE FOR THIS SHIPMENT\*\*\*

Schedule B#: 7318159000  
ECCN #: 9A991d "NLR"

SHIPPING INSTRUCTIONS: LABEL ON OUTSIDE OF BOX

HONEYWELL SOURCE ACCEPTED:

STAMP IMPRESSION

DATE:



8/30/2013

\*\*\*\*BOXES MUST NOT EXCEED 40 LBS EACH\*\*\*\*

## CERTIFICATE OF COMPLIANCE

We hereby certify that all items delivered on this invoice comply with all applicable drawing, specification, and purchase order requirements. Evidence of such is on file for review for a minimum of 10 years. All products manufactured by Pilgrim Screw are of domestic origin and have not come in contact with mercury while in our possession. Also all special processes were performed by approved sources at the time of manufacture. Shortage claims must be made within (5) days after receipt of the goods. Quality claims must be made within (30) days after receipt of the goods. Returns will not be accepted without a 'Return Material Authorization' number. All goods returned must have the freight prepaid.

MADE IN THE USA

Page # 2

*Rafael R. L.* Authorized Rep.



## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **Component A:**

DENSITY, LB/GL	: 10.00 lb/gal	VOLATILE BY WEIGHT	: 5.98%	APPEARANCE	: White
VAPOR PRESSURE	: N.D.	VOLATILE BY VOLUME	: 7.45%	PHYSICAL STATE	: Paste
VAPOR DENSITY	: Heavier than Air	BOILING RANGE	: 100°C	ODOR	: No
SOLUBILITY IN H <sub>2</sub> O	: Insoluble	FREEZE POINT	: N.D.	ODOR THRESHOLD	: N.D.
EVAPORATION RATE	: Not Applicable			pH	: N.A.
COEFFICIENT OF WATER/OIL DISTRIBUTION	: N.D.				(see section 16 for abbreviation legend)

### **Component B:**

DENSITY, LB/GL	: 8.69 lb/gal	VOLATILE BY WEIGHT	: 0.0%	APPEARANCE	: Off-white
VAPOR PRESSURE	: N.D.	VOLATILE BY VOLUME	: 0.0%	PHYSICAL STATE	: Liquid
VAPOR DENSITY	: Heavier than Air	BOILING RANGE	: 101 - 193°C	ODOR	: Sweet
SOLUBILITY IN H <sub>2</sub> O	: Insoluble	FREEZE POINT	: N.D.	ODOR THRESHOLD	: N.D.
EVAPORATION RATE	: Faster than n-butyl-acetate			pH	: N.A.
COEFFICIENT OF WATER/OIL DISTRIBUTION	: N.D.				(see section 16 for abbreviation legend)

## **10. STABILITY AND REACTIVITY**

**CONDITIONS TO AVOID:** Storage above 100°F and below 32°F. Exposure to sunlight, ultraviolet light irradiation. Avoid dropping or puncture of containers. High temperatures.

**INCOMPATIBILITY:** Inorganic acids, organic acids, caustics, oxidizing agents, amines, peroxides, water, hydroxyl, or active hydrogen compounds.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon monoxide, carbon dioxide, oxides of nitrogen, aldehydes.

**HAZARDOUS POLYMERIZATION:** Hazardous polymerization will not occur under normal conditions.

**STABILITY:** Product is stable under normal storage conditions.

## **11. TOXICOLOGICAL INFORMATION**

**PRODUCT LD50 (ORAL):** No data

**PRODUCT LD50 (DERMAL):** No data

**PRODUCT LC50:** No data

## **12. ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION:** No information

## **13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD:** Disposal should be done in accordance with Federal (40CFR Part 261), state, and local environmental control regulations. If waste is determined to be hazardous, use licensed hazardous waste transporter and disposal facility.

## **14. TRANSPORTATION INFORMATION**

**General:** CB200 may be shipped as a 2 component acrylic adhesive kit under **UN 3269 POLYESTER RESIN KIT**.

### **Component A:**

**DOT PROPER SHIPPING NAME:** Organic peroxide type E, solid  
**PACKING GROUP:** II  
**EMERGENCY RESPONSE GUIDE NUMBER:** 145

**DOT UN/NA NUMBER:** 3108  
**DOT HAZARD CLASS:** 5.2  
**SECONDARY HAZARD:** None

### **Component B:**

**DOT PROPER SHIPPING NAME:** Adhesives  
**PACKING GROUP:** II  
**EMERGENCY RESPONSE GUIDE NUMBER:** 128

**DOT UN/NA NUMBER:** 1133  
**DOT HAZARD CLASS:** 3  
**SECONDARY HAZARD:** None

The listed transportation classification applies to US DOT non-bulk road shipments. It does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors. For the most accurate shipping information, refer to your transportation/compliance department.

## **15. REGULATORY INFORMATION**

### **U.S. FEDERAL REGULATIONS: AS FOLLOWS -**

This product is considered hazardous as defined by 29 CFR 1910.1200 (OSHA HazCom Standard).

### **SARA SECTION 313**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

<b><u>Chemical Name</u></b>	<b><u>CAS Number</u></b>	<b><u>Weight % Less Than</u></b>
Methyl methacrylate	80-62-6	49%
N,N-Dimethylaniline	121-69-7	5%
Zinc compound	Proprietary	5%
Benzoyl peroxide	94-36-0	4%

### **TOXIC SUBSTANCES CONTROL ACT:**

#### **INVENTORY STATUS**

The chemical substances in this product are on the TSCA Section 8 Inventory.

#### **EXPORT NOTIFICATION**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

NONE

## **16. OTHER INFORMATION**

**HMIS RATINGS - HEALTH: 2\***      **FLAMMABILITY: 3**      **PHYSICAL HAZARD: 2**

\* - indicates a chronic hazard; see section 3

### **VOLATILE ORGANIC COMPOUNDS**

Calculated      0.0 lbs/gal, 0.0 grams/liter

**NOTE:** In normal use, the acrylate monomer in this product is considered to be non-volatile and is polymerized during cure. For purposes of air quality regulations, the maximum amount of VOC emitted is less than 5%. Actual emissions are a function of processing conditions. VOC is evaluated in combination with CB200 component A.

**LEGEND:** N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

**DISCLAIMER:** The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

PACKING SLIP

1/31/2014

CLICK BOND INC.  
2151 LOCKHEED WAY  
CARSON CITY, NV 89706  
CAGE CODE 66530

**CLICK BOND**

1

**Bill To:**

AVIALL SERVICES INC  
ATTN: ACCTS PAYABLE  
PO BOX 619048

DALLAS, TX 75261-9048  
USA

**Ship To:**

AVIALL CENTRAL WAREHOUSE  
2750 REGENT BLVD  
DFW AIRPORT

DALLAS, TX 75261  
USA

Your P.O.	Shipped Via	Terms	Ordered By	Our Order No.
2257611	FEDEX GRND COLL	NET 30	HEATHER FORDE	20132374

ITEM	ORDER QUANTITY	TOTAL SHIPPED	UNIT MEASURE	PART NUMBER
01	600.0000	600.0000	EA	CB200 ADHESIVE, FOIL PACK


ITEM CB200 = 68



BATCH 7363624259



MSUSTAITA  
02/07/14



CLICK BOND INC.  
2151 LOCKHEED WAY  
CARSON CITY, NV 89706-0713  
PHONE: (775)885-8000  
FAX: (775)883-0191

### CERTIFICATION OF CONFORMANCE

Customer:	AVIALL SERVICES INC	Customer PO:	2257611
Customer P/N:	CB200	Quantity:	600
Customer Rev Number:	0	Lot Number:	20132374-01-01
Click Bond P/N:	CB200	Click Bond Cage Code:	66530
Click Bond Rev Number:	0	Adhesive Batch:	70043488

**SHELF LIFE:**

Room Temperature

6 Months

Exp. Date:

29-Jul-2014

Refrigerated (35-50 deg F)

1 Year

Exp. Date:

29-Jan-2015

As the authorized representative of Click Bond, Inc. the undersigned, warrants and represents: the product identified on this Certificate of Conformance has been manufactured, inspected and unless otherwise noted, conforms in all respects to the applicable customer purchase order, drawings, specifications and standards. The information appearing herein is true and accurate. This certificate may be used to induce payment with the knowledge the information and certification may be used as a basis for such payment.

If no customer specific Quality Requirement is stipulated in your purchase order, goods produced are inspected to Click Bond's Registered Quality and Environmental Systems. The systems and procedures conform to the requirements of AS9100, ISO 9001, ISO 14001 and ISO 10012.


Click Bond, Inc. certifies these goods were not manufactured with and do not contain ozone depleting substances, mercury, pure tin, pure zinc, cadmium, or radioactive material. Complete reports of physical and chemical tests and composition are on file for customer examination.

Products represented by this certificate of conformance were manufactured in the United States of America and comply with the requirements of DFARS 252.225-7009 with Alternate 1.

Where applicable, Click Bond warrants the performance of the fixtures for 10 years from the date of certification.

January 29, 2014

Date of Certification

  
V. NEGRETE - Quality Control

# Click Bond - CB200 Adhesive - Material Safety Data Sheet

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: CB200  
CLICK BOND, INC.  
2151 LOCKHEED WAY  
CARSON CITY, NV 89706

Product Use/Class: ADHESIVE  
INFORMATION TELEPHONE #: (775) 885-8000  
EMERGENCY TELEPHONE #: (800) 255-3924 (CHEM•TEL)  
OUTSIDE NORTH AMERICA #: (813) 248-0585 CALL COLLECT  
PREPARED BY: Engineering Dept. (775) 885-8000

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Chemical Name	CAS Number	Range	ACGIH TLV-TWA	ACGIH TLV-STEL	OSHA PEL-TWA	OSHA PEL-Ceiling	Skin
B	Methyl methacrylate	80-62-6	43 - 49%	50 ppm	100 ppm	410 mg/m <sup>3</sup> 100 ppm	N.E.	N.A.
B	Methacrylic acid	79-41-4	4 - 9%	20 ppm	N.E.	N.E.	N.E.	N.A.
B	Methacrylate phosphate ester	Proprietary	0 - 5%	N.E.	N.E.	N.E.	N.E.	N.A.
B	N,N-Dimethylaniline	121-69-7	0 - 5%	5 ppm	10 ppm	25 mg/m <sup>3</sup> 5 ppm	N.E.	S
B	Zinc compound	Proprietary	0 - 5%	2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>	N.E.	N.A.
B	Calcium molybdate	7789-82-4	0 - 5%	3 mg/m <sup>3</sup>	N.E.	5 mg/m <sup>3</sup>	N.E.	N.A.
B	Amine curative	Proprietary	0 - 5%	N.E.	N.E.	N.E.	N.E.	N.A.
A	Epoxy resin	Proprietary	5 - 6%	N.E.	N.E.	N.E.	N.E.	N.A.
A	Isodecyl benzoate	131298-44-7	2 - 4%	N.E.	N.E.	N.E.	N.E.	N.A.
A	Benzoyl peroxide	94-36-0	2 - 4%	5 mg/m <sup>3</sup>	N.E.	5 mg/m <sup>3</sup>	N.E.	N.A.
A	Titanium dioxide	13463-67-7	0 - 1%	10 mg/m <sup>3</sup>	N.E.	15 mg/m <sup>3</sup>	N.E.	N.A.

N.A. - Not Applicable, N.E. - Not Established, S - Skin Designation

## 3. HAZARDS IDENTIFICATION

**\*\*\* EMERGENCY OVERVIEW \*\*\*:** Off-white Liquid, with Sweet odor (Component B) and White Paste, with No odor (Component A). Flammable liquid. Harmful if absorbed through skin. May cause allergic skin reaction. Causes skin and eye irritation. Causes respiratory tract irritation.

**EFFECTS OF OVEREXPOSURE - EYE CONTACT:** Causes eye irritation.

**EFFECTS OF OVEREXPOSURE - SKIN CONTACT:** May be absorbed through the skin in harmful amounts. Causes skin irritation. May cause skin sensitization. May cause dermatitis. May cause allergic skin reaction.

**EFFECTS OF OVEREXPOSURE - INHALATION:** Causes respiratory tract irritation. May cause headache and nausea.

**EFFECTS OF OVEREXPOSURE - INGESTION:** Harmful if swallowed. Ingestion is not an expected route of entry in industrial or commercial uses.

**EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS:** May cause liver or kidney damage. Chronic skin contact may cause dermatitis. Prolonged or repeated contact may result in dermatitis.

IARC has designated titanium dioxide (TiO<sub>2</sub>) as Group 2B - possibly carcinogenic to humans in dust form. However, a number of long term animal studies and human epidemiology studies evaluating TiO<sub>2</sub> and workplace exposure show insufficient evidence for carcinogenic affects. EPA, NTP and OSHA do not designate TiO<sub>2</sub> as a carcinogen and ACGIH designates TiO<sub>2</sub> as A4 - not classifiable as a human carcinogen. TiO<sub>2</sub> is not present in this product as a dust and no airborne exposure is expected during application.

Contains N,N-Dimethylaniline. Excessive overexposure by skin absorption or ingestion may result in anoxia due to the formation of methemoglobin. This condition impairs the blood's ability to transport oxygen. ACGIH considers molybdenum to be an A3 carcinogen (confirmed animal carcinogen with unknown relevance in humans).

**PRIMARY ROUTE (S) OF ENTRY:** Skin Contact, Skin Absorption, Inhalation, Ingestion, Eye Contact

## 4. FIRST AID MEASURES

**FIRST AID - EYE CONTACT:** Flush eyes immediately with large amount of water for at least 15 minutes holding eyelids open while flushing. Get prompt medical attention.

**FIRST AID - SKIN CONTACT:** Flush contaminated skin with large amounts of water while removing contaminated clothing. Wash affected skin areas with soap and water. Get medical attention if symptoms occur.

**FIRST AID - INHALATION:** Move person to fresh air. Restore and support continued breathing. If breathing is difficult, give oxygen. Get immediate medical attention.

**FIRST AID - INGESTION:** If swallowed, do not induce vomiting. Give victim one or two glasses of water or milk. Call a physician or poison control center immediately for further instructions. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing.

## **5. FIRE-FIGHTING MEASURES**

### **Component A:**

**FLASH POINT:** 201°F, 93°C (Setaflash Closed Cup)

**AUTOIGNITION TEMPERATURE:** N.D.

**LOWER EXPLOSIVE LIMIT (%):** Not Applicable

**UPPER EXPLOSIVE LIMIT (%):** Not Applicable

### **Component B:**

**FLASH POINT:** 65°F, 18°C (Setaflash Closed Cup)

**AUTOIGNITION TEMPERATURE:** N.D.

**LOWER EXPLOSIVE LIMIT (%):** 1% (V)

**UPPER EXPLOSIVE LIMIT (%):** 8.8% (V)

### **Components A and B:**

**EXTINGUISHING MEDIA:** Carbon Dioxide, Dry Chemical, Foam, Water Fog

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Flammable liquid and vapor. Keep containers tightly closed. Isolate from heat, electrical equipment, sparks, open flame, and other sources of ignition. Closed containers may rupture when exposed to extreme heat. Use water spray to keep fire exposed containers cool. During a fire, irritating and/or toxic gases and particulate may be generated by thermal decomposition or combustion.

**SPECIAL FIREFIGHTING PROCEDURES:** Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA). If water is used, fog nozzles are preferable.

## **6. ACCIDENTAL RELEASE MEASURES**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Keep non-essential personnel a safe distance away from the spill area. Remove all sources of ignition (flame, hot surfaces, and electrical, static, or frictional sparks). Avoid breathing vapors. Use self-contained breathing equipment. Notify appropriate authorities if necessary. Avoid contact. Using non-sparking tools, scoop the spilled material into an appropriate container for proper disposal. (If necessary, use inert absorbent material to aid in containing the spill.)

## **7. HANDLING AND STORAGE**

**HANDLING:** Keep closure tight and container upright to prevent leakage. Ground and bond containers when transferring material. Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing of vapor or spray mists. Do not handle until all safety precautions have been read and understood. Use with adequate ventilation. Because empty containers may retain product residue and flammable vapors, keep away from heat, sparks, and flame; do not cut, puncture, or weld on or near the empty container. Empty containers should not be re-used. Do not smoke where this product is used or stored.

**STORAGE:** Refer to OSHA 29CFR Part 1910.106 "Flammable and Combustible Liquids" for specific storage requirements. Store only in well-ventilated areas. Keep container closed when not in use.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**ENGINEERING CONTROLS:** Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended exposure limits. Sufficient ventilation (using explosion-proof equipment) should be provided to prevent flammable vapor/air mixtures from accumulating.

**RESPIRATORY PROTECTION:** Contains a small amount of dimethylaniline (DMA) which has poor odor-warning properties. If the exposure limit for DMA is exceeded, an air-supplied respirator is recommended. Otherwise, a properly-fitted NIOSH approved air-purifying organic vapor respirator is recommended. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air-supplied respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use.

**SKIN PROTECTION:** Use neoprene, nitrile, or rubber gloves to prevent skin contact. If contact with the product is prolonged or repeated, Silver Shield or Butyl rubber gloves are recommended.

**EYE PROTECTION:** Use safety eyewear including safety glasses with side shields and chemical goggles where splashing may occur.

**OTHER PROTECTIVE EQUIPMENT:** Use disposable or impervious clothing if work clothing contamination is likely. Remove and wash contaminated clothing before reuse.

**HYGIENIC PRACTICES:** Wash hands before eating, smoking, or using toilet facility. Food or beverages should not be consumed anywhere this product is handled or stored. Wash thoroughly after handling.





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO24587**

Purchase Order Date 6/13/2014

PO Print Date 6/13/2014

Page Number 1 of 2

**Order From :**

AVIALL  
PO BOX 842275

DALLAS, TX 75284-2275  
USA

VU-AVI003

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA



**Contact Name**

**Vendor Phone** 905-676-1695

**Ship To Contact**

**Ship To Phone**

**Ship Via:** FedEx PI collect

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #** 10127-2607

**Terms** Net 30

**Currency** USD

**FOB** FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extent Pr
1	AN525-416R10 55330	Screw	6/17/2014 Yes 6/17/2014		50.00 Each	\$0.53	\$26
Line Total:							\$26.
2	CB200	Acrylic Adhesive, 3.5G	6/17/2014 Yes 6/17/2014		30.00 Each	\$2.72	\$81.
Line Total:							\$81.
4	BSP-42	Rivet	6/17/2014 Yes 6/17/2014		200.00 Each	\$0.23	\$46.0

SP14-6-25

**PO Instructions:**

**Note:**

6/13/2014

**Alcoa  
Fastening  
Systems**



Industrial Distribution  
Group

**PACKING SLIP**

1925 N MacArthur Drive, Suite 200  
Alcoa Fastening Systems  
Tracy, CA 95376  
Phone: (809) 826-2884 Fax: (209) 839-3022  
CA 95 95376 USA

**PACKING SLIP**

Original

B/E AEROSPACE CONSUMABLES MGMT  
PO BOX 025263  
MIAMI FL  
33102-5263

**Delivery Address**  
B/ AEROSPACE CONSUMABLES MGMT  
9835 NW 14th STREET  
MIAMI FL  
33172

Customer : 7183  
Forw.Agent: DO NOT USE

Date : 07-22-10  
Packing Slip No : 317181

Pos.	Item	Cust Ln #	Weight (lbs)	Extended Weight (lbs) (rounded up to nearest lb)	Ordered	Delivered Qty	UOM	Back Order
------	------	-----------	-----------------	--	---------	---------------	-----	------------

Sales Order : 623188  
Order Date : 07-20-2010  
Customer P.O.: OPT773

ingarea

The export classification appears below each item. You are responsible  
for all  
related export license requirements.

1	M50312	3.343500	669.00	200.000	190.000	pm
---	--------	----------	--------	---------	---------	----

Schedule B Number: 8308.20.0000 ECCN: EAR99

ALL SHIPMENTS MUST HAVE LOT #'S OF  
CASES FAXED TO MARSON FOR C OF C'S  
& MATERIAL CERTS. MARSON W/FAX C OF  
C'S AND MAT CERTS TO ED @  
305-507-7195

TEST REPORTS REQUIRED WITH SHIPMENT  
C OF C REQUIRED WITH SHIPMENT

0709102 MX 057-01 x 60,000  
0713102 MX 057-01 x 70,000  
0713101 MX 057-01 x 20,000  
0430101 MX 058-01 x 40,000

Delivery : FREIGHT PREPAID - DO NOT ADD  
Total Weight: 669.00 lbs

INSPECTION :

Note: This total shipment weight is an estimate. Actual total weight may vary slightly based on packaging materials used.  
Extended weights have been (See reverse side for certificate of conformance and repack notification)

**Alcoa Fastening Systems**  
Makers of Huck®, Marson® and Recoil® brand fasteners, tools and accessories



# B/E Aerospace, Inc.

Page: 1 of 1

## CONSUMABLES MANAGEMENT

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191  
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR  
www.beconsumables.com

Shipped From: 10000 NW 15 TERRACE, MIAMI, FL 33172


### Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to B/E Aerospace, Inc.

**FIRM: AVIALL INC**

**PURCHASE ORDER#: 45059902**

LINE#	QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE	MFR DATE	EXP DATE
1	200	EA	AB42		0709102MX057-01	ALCOA MARSON	10054		

  
Jason Lewis  
Vice President of Quality

06/18/14

Inv # 06/18/14

## Receiving Report

Date: 14-6-25 Batch No: D9613  
 Supplier: ~~B~~ Aviall ~~B~~ Dart P/O: 24587  
B/E

Packing Slip: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Release Note Attached: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Invoice: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Waybill Attached: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Receipt: Cash <input type="checkbox"/> Cr <input checked="" type="checkbox"/>	Shipment Complete: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
New Supplier Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	QC18 Inspection <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	Work Order <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**Discrepancies**

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

SP

Production/Admin:

Date

Received/Costing

Initial

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Location

\_\_\_\_\_

Alcoa  
Fastening  
Systems



Industrial Distribution Group

1925 N. Macarthur Drive  
Suite 200  
Tracy, CA 95276 USA  
Phone: (209) 839-3003

## CERTIFICATE OF CONFORMANCE

Alcoa Fastening Systems certifies that items supplied, as listed on the reverse side, have been inspected in accordance with Alcoa Fastening Systems' Quality Assurance System and conform to our catalog specifications and/or customer specifications as may be applicable.

Klik-Fast® Rivet Types comply with IFI-114 or IFI-126 standards as appropriate.

Recoil® stainless steel inserts comply with the applicable drawings, chemical composition and physical property requirements of AS7245.

Where specified on the product labeling, Recoil® stainless steel inserts conform to Military Standards MS21209, NASM 21209, NASM 122076 thru NASM 122275, NASM124651 thru NASM124850, MS0018, and Military Specification NASM8846.

Recoil® Inconel inserts comply with the applicable drawings, chemical composition, and physical property requirements of AS7246.

Metric Recoil® inserts, where the MA number is specified on the product labeling, are covered by the following Aerospace Standards as applicable: MA3279, MA3280, MA3329, MA3330, MA3331, and MA1565.

Alcoa Fastening Systems' manufacturing facilities are certified to ISO 9001-2000, QS9000, and AS9100 as appropriate.

The Quality Assurance Program, inspection records, chemical composition and physical analysis reports, and special process certifications are available from our manufacturing facilities at any time during normal business hours.

Parts supplied are RoHS compliant and free from mercury contamination and that mercury in any form, including mercury thermometers, was not used in manufacture or testing of the parts.

Additionally, as per DFAR clause 252.225-7214, Recoil® wire thread inserts are manufactured in Australia – a DFAR qualifying country.

### NOTICE TO SUBSEQUENT PURCHASER/REPACKER

The foreign made item/s in this container – as marked per the packing slip – is/are imported. All others are of USA origin. The requirements of 19 U.S.C 1304 and 19 CFR Part 134 provide that the articles in their containers must be marked in a conspicuous place as legibly, indelibly, and permanently as the nature of the article or container will permit, in such a manner as to indicate to an ultimate purchaser in the United States, the English name of the country of origin and the article. Note: If this/these item/s are further repackaged by you – the purchaser- you are obligated to mark the packaging in a conforming manner.

Alcoa Fastening Systems  
Makers of Huck®, Marson® and Recoil® brand fasteners, tools and accessories  
Form 1159 Rev A 12/31/09

TRUCK  
JUL 29 2010

Freight Bill Attached

By the on Hold section

19 Boxes

Alcoa  
Fastening  
Systems



Mexico Operations

2162 Cienegas Road  
Del Rio TX 78840

Hidalgo # 120Parque  
Industrial Amistad CP 26220  
Cd. Acuña Coahuila Mex

Print Record

Save Record

## CERTIFICATE OF CONFORMANCE Commercial

CERTIFICATION NUMBER:

639

CUSTOMER:

B/E AEROSPACE CONSUMABLE MGMT

DATE:

7/23/2010

CUSTOMER PO #:

OPT773

WORK ORDER:

623188

CUSTOMER PART #:

M50312

QUANTITY

200,000

AFS ACUÑA PART #:

50312 / AB42

### PRODUCT DESCRIPTION:

1/8" (.125) DIA INCH, BUTTONHEAD ALUMINUM BODY WITH STEEL MANDREL  
LOT#0709102MX057-01(60,000), LOT#0713102MX057-01(70,000), LOT#0713101MX057-  
01(30,000), LOT#0430101MX058-01(40,000)

### CERTIFICATION

ALCOA FASTENING SYSTEMS - COMMERCIAL PRODUCTS - CERTIFIES THAT THE  
PRODUCT SPECIFIED ABOVE CONFORMS TO OUR CATALOG SPECIFICATIONS OR  
CUSTOMER SPECIFICATIONS AS MAY BE APPLICABLE.

COMMENTS:

Body Lot: AS4Q and Mandrel Lot: AS4V, AS4R

  
QC AUTHORIZED SIGNATURE

Alcoa Fastening Systems

Nature of the last change: Remove Adalberto Reyes (Q.A. Manager) FA82-15 Rev. B